



Product  
Code:

Sentinel X100  
Version: 2

Page 1 of 7  
Date Prepared: January 2011

## 1. PRODUCT AND COMPANY INFORMATION

Identification of the substance/preparation	<b>Sentinel X100</b>
Use of the substance/preparation	Scale & corrosion inhibitor for central heating systems
Company Identification	Sentinel Performance Solutions Ltd.
Manufactured by	Douglas Products and Packaging
Address and Telephone No.	1550 East Old 210 Highway Liberty Missiouri, 64068 USA
Telephone for further information:	(816)-781-4250 (8am - 5pm)
Emergency Phone No.	<b>Chemtrec (800) 424-9300 (24/7)</b>
Fax:	(816)-781-1043

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

#### Appearance and odour:

Appearance	Colourless to yellow liquid
Odour	Mild odour

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Statements of Hazard

CAUTION: MAY BE HARMFUL IF SWALLOWED  
MAY CAUSE SKIN, EYE AND RESPIRATORY TRACT IRRITATION

Xn - Harmful



### Potential Health Effects

Primary routes of entry by skin contact and ingestion.

Contains ingredients that may be harmful by inhalation and if swallowed and may be irritating to skin, eyes and the respiratory system. Also contains an oxidising ingredient.

Consideration of the hazards of the mixture as supplied suggest that the potential health effects will actually be less dangerous.

Eye contact - prolonged or repeated exposure may cause transient irritation. Skin contact - prolonged or repeated exposure may cause transient irritation. Inhalation - prolonged or repeated exposure may cause transient irritation. Ingestion of large amounts may cause slight gastrointestinal irritation.



Product  
Code:

Sentinel X100  
Version: 2

Page 2 of 7  
Date Prepared: January 2011

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical description

Neutral solution of inorganic and organic corrosion inhibitors and salts.

#### Hazardous component(s)

Ingredient	CAS Number	EC Number	% by weight	Symbol	Risk Phrases
Sodium nitrate	7631-99-4	231-554-3	< 5	O	8-22-36/37/38
Sodium molybdate	7631-95-0	231-551-7	< 5	None	None - has PEL & TLV

Please refer to section 16 (R phrases used in Section 3), where the full text of each relevant R phrase is listed.

### 4. FIRST-AID MEASURES

Inhalation	Remove patient to fresh air, allow to rest and keep warm. Seek medical attention if symptoms develop.
Skin contact	Wash with plenty of water. Remove any contaminated clothing and launder before reuse. Seek medical attention if symptoms develop.
Eye contact	Flush immediately with plenty of water for at least 15 minutes, keeping eyelids open. Seek medical attention if symptoms develop.
Ingestion	DO NOT induce vomiting! Rinse mouth out with water, but do not give anything to drink. Seek medical attention if symptoms develop.
Personal precautions	Ensure that those giving first aid treatment do not get contaminated by product spills, etc. Wear suitable protective clothing, gloves and eye protection. See also Section 8.

### 5. FIRE-FIGHTING MEASURES

- Suitable	Water, foam, carbon dioxide, dry powder.
- Not to be used	None.
Special exposure hazards	Oxides of carbon and nitrogen evolved in fire.
Special protective equipment for fire fighters	Protective clothing and self-contained breathing apparatus.
Flash point	Not flammable.



Product  
Code:

Sentinel X100  
Version: 2

Page 3 of 7  
Date Prepared: January 2011

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective clothing, gloves and eye protection. See Section 8 for details. Keep unnecessary personnel away.
Environmental precautions	Prevent from entering sewers or the immediate environment. Accidental release of large quantities into the aquatic environment may harm aquatic organisms. In case of large spill, inform local authorities.
Methods for cleaning up	
- on soil	Absorb onto inert material such as earth, soil or specialist absorbent. Collect and place into sealed container for safe disposal (see Section 13).
- on water	None known.

## 7. HANDLING AND STORAGE

Handling	Avoid contact with skin and eyes. Do not ingest or inhale vapours or spray.
Storage	Keep in original containers. Keep container tightly closed. Store in cool, well ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Recommended engineering controls	Ensure good ventilation. Arrange for eye wash possibility.
Control parameters:	Molybdenum compounds (as Mo) soluble OSHA PEL - 5 mg/m <sup>3</sup> 8 hr TWA ACGIH TLV - 5 mg/m <sup>3</sup> 8 hr TWA
Monitoring procedures	Not required
Personal protection	
Always check applicability with your supplier of protective equipment.	
- Respiratory protection	In case of insufficient ventilation, wear full face or half face mask fitted with filter suitable for liquid particulates.
- Skin protection	Laboratory coat or overalls if splashing or repeated contact with product is likely.
- Eye protection	Chemical goggles or full face visor.
- Hand protection	Plastic, impervious gloves for protection against unintentional short-term contact. However, since glove performance is governed by many variables, it is strongly recommend that specialist advice on the selection and use of protective gloves is sought.



Product  
Code:

Sentinel X100  
Version: 2

Page 4 of 7  
Date Prepared: January 2011

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colourless to yellow liquid
Odour	Mild
pH (concentrated product)	6.4
Melting point (°C)	Approx 0 [32°F]
Boiling point/range (°C)	Approx 100 [212°F]
Flash point (Pensky Martens) (°C)	Not flammable
Explosive properties	None
Oxidising properties	None
Density at 20°C (kg/m <sup>3</sup> )	1103
Solubility in water (% by weight)	Completely miscible

*Note: These are typical values and do not constitute a specification.*

## 10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions of use.
Conditions to avoid	Protect from freezing.
Materials to avoid	None known.
Hazardous decomposition products	Oxides of carbon and nitrogen evolved in fire.

## 11. TOXICOLOGICAL INFORMATION

Test data:	No data available on product.
Calculated from ingredient data:	
- Oral LD <sub>50</sub> rat (mg/kg)	> 2000 Not considered hazardous in EU.
Exposure hazard:	
- Inhalation	Prolonged or repeated exposure may cause transient irritation.
- Skin contact	Prolonged or repeated exposure may cause transient irritation.
- Eye contact	Prolonged or repeated exposure may cause transient irritation.
- Ingestion	Likely symptoms are slight gastrointestinal irritation.
Other data	None available.



Product  
Code:

Sentinel X100  
Version: 2

Page 5 of 7  
Date Prepared: January 2011

## 12. ECOLOGICAL INFORMATION

**Aquatic toxicity:** No data available on product.

Calculated data based on ingredients

- Fathead minnow (mg/l)	LC <sub>50</sub> 96 Hr:	3680
	NOEL :	1680
- Daphnia Magna (mg/l)	LC50 48 Hr:	4080
	NOEL :	2100

### Persistence and degradability

- COD (mgO <sub>2</sub> /g)	150 (calculated data)
- BOD 5 (mgO <sub>2</sub> /g)	0 (calculated data)
- BOD 28 (mgO <sub>2</sub> /g)	1 (calculated data)
- Closed Bottle Test (% Degradation in 28 days)	2 (calculated data)
- TOC (mg C/g)	50 (calculated data)

### Bioaccumulative potential

- Bioaccumulation Not bioaccumulating  
(Refers to active component Sodium molybdate)

### Summary

Environmental effects: Not classified as hazardous to the environment under the EU classification system.

## 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

## 14. TRANSPORTATION INFORMATION

Not classified as dangerous for transport.

## 15. REGULATORY INFORMATION

The label shows CAUTION. Keep Out of Reach of Children. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water.

Names of the ingredients given on the label: Sodium molybdate and Sodium nitrate.

R phrases: R22, Harmful if swallowed; R36/37/38, Irritating to skin, eyes and respiratory tract.



Product  
Code:

Sentinel X100  
Version: 2

Page 6 of 7  
Date Prepared: January 2011

S phrases: S2, Keep out of the reach of children; S24/25, Avoid contact with skin and eyes; S26, In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S28, After contact with skin, wash immediately with plenty of water.

Inventory Status

TSCA

All ingredients of this product are listed unless specifically exempted.

California Proposition 65

Does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

EU

All ingredients of this product are listed in EINECS or ELINCS, unless specifically exempted under EU Directive 67/548/EEC (as amended).

Right to know classification:

None are listed in CA, PA, MN, MA, MI, FL and NJ.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

Hazardous Material Information (HMIS)		National Fire Protection Association (NFPA)	
Health	2	2	Health
Fire	1	1	Fire
Reactivity	1	1	Instability
Personal Protection	G		NA

Health	4 Deadly	3 Extreme Danger	2 Dangerous	1 Slight hazard	0 No hazard
Fire	4 < 73 °C	3 < 100 °C	2 < 200 °C	1 >200 °C	0 Will not burn
Reactivity/Instability	4 - May detonate	3 Explosive	2 Unstable	1 Normally stable	0 Stable

EU labelling information

- Symbol(s) None required

- R-Phrase(s) None assigned

- S-Phrase(s) 2 Keep out of the reach of children  
24/25 Avoid contact with skin and eyes



Product  
Code:

Sentinel X100  
Version: 2

Page 7 of 7  
Date Prepared: January 2011

---

26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
28	After contact with skin, wash immediately with plenty of water

Version number	2
Date prepared	January 2011
Supersedes Version	1 dated August 2009
Nature of revision	Updated to 2010 ANSI standard.

R-phrases used in Section 3	8	Contact with combustible material may cause fire
	22	Harmful if swallowed
	36/37/38	Irritating to eyes, respiratory system and skin

Based on ANSI Z400.1/Z129.1-2010 and EU Regulation 1907/2006

---

End of document  
Number of pages = 7